



Telefax: +49 (0)5462/7470-33

Safety Data Sheet

ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

ALPINE Longlife III 0W-30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil multigrade

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: Mitan Mineralöl GmbH Street: Industriestraße 8 Place: D-49577 Ankum Telephone: +49 (0)5462/7470-50

e-mail: info@mitan-oil.de

Internet: www.mitan-oil.de
Responsible Department: Produktsicherheit / Product Safety

sicherheitsdatenblatt@mitan-oil.de

<u>1.4. Emergency telephone</u> Giftinformationszentrum Nord (Göttingen)

number: +49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 2 of 11

Hazardous components

| CAS No | Chemical name | | | | |
|------------|---|--------------|------------------|--|--|
| | EC No | Index No | REACH No | | |
| | GHS Classification | | | | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | |
| | 265-157-1 | 649-467-00-8 | 01-2119484627-25 | | |
| | Asp. Tox. 1; H304 | | | | |
| 36878-20-3 | BIs(nonylphenyl)amine | | | | |
| | 253-249-4 01-2119488911-28 | | | | |
| | Aquatic Chronic 4; H413 | | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity | | |
|---------------------------|---|---|----------|--|--|
| | Specific Conc. Limits, M-factors and ATE | | | | |
| 64742-54-7 | 265-157-1 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | |
| | inhalation: LC50 = 5,53 mg/l (dusts or mists); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg | | | | |
| 36878-20-3 | 253-249-4 | Bls(nonylphenyl)amine | 0 - <3 % | | |
| oral: LD50 = > 5000 mg/kg | | | | | |

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove person to fresh air and keep comfortable for breathing.

In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Foam.
- Water spray iet
- Extinguishing powder
- Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing

In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

Remove from the water surface (e.g. skimming, sucking).





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 4 of 11

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust.

Use personal protection equipment.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Keep only in the original container. Store in a cool dry place.

Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

Motor oil multigrade

SECTION 8: Exposure controls/personal protection

8.1. Control parameters





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 5 of 11

DNEL/DMEL values

| CAS No | Substance | | | |
|--------------------------|---|-----------------------------------|----------|----------------------|
| DNEL type | • | Exposure route | Effect | Value |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy p | paraffinic; Baseoil - unspecified | <u> </u> | <u> </u> |
| Worker DNEL | ., long-term | inhalation | systemic | 2,73 mg/m³ |
| Worker DNEL | ., long-term | inhalation | local | 5,58 mg/m³ |
| Worker DNEL, long-term | | dermal | systemic | 0,97 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | local | 1,19 mg/m³ |
| Consumer DNEL, long-term | | oral | systemic | 0,74 mg/kg bw/day |
| 36878-20-3 | Bls(nonylphenyl)amine | | | |
| Worker DNEL, long-term | | dermal | systemic | 5 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 2,5 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 0,25 mg/kg bw/day |

PNEC values

| CAS No | Substance | | | | |
|---|--|--|--|--|--|
| Environmental compartment Value | | | | | |
| 64742-54-7 | 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | |
| Secondary poisoning 9,33 mg/kg | | | | | |
| 36878-20-3 | Bls(nonylphenyl)amine | | | | |
| Freshwater 0,412 mg/l | | | | | |
| Freshwater (intermittent releases) 1 mg/l | | | | | |
| Marine water 0,041 n | | | | | |
| Freshwater sediment 1 mg/kg | | | | | |
| Marine sedime | 0,1 mg/kg | | | | |

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Revision No: 1,00 GB - EN Print date: 27.01.2023





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 6 of 11

Wear eye/face protection. EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374 Suitable material: NBR (Nitrile rubber) Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough

time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light yellow
Odour: characteristic
Odour threshold: not determined

Test method

pH-Value: not applicable

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

> 280 °C

boiling range:

Pour point: -51 °C ASTM D 97
Flash point: 226 °C ASTM D 92

Flammability

Solid/liquid: not applicable
Gas: not applicable

Explosive properties

The product is not: Explosive.

Lower explosion limits: 1 vol. %
Upper explosion limits: 10 vol. %
Auto-ignition temperature: >320 °C
Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

Vapour pressure: <0,005 hPa

(at 20 °C)





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 7 of 11

Density (at 15 °C): 0,838 g/cm³ ASTM D 4052

Water solubility:

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: log Pow: > 6
Viscosity / dynamic: not determined

Viscosity / kinematic: 58,7 mm²/s ASTM D 445

(at 40 °C)

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Oxidising agent, strong

10.6. Hazardous decomposition products

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO2)
- Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 8 of 11

| CAS No | Chemical name | | | | | | |
|------------|---|---------------|-----------|---------|---------------------|--------------------|--|
| | Exposure route | Dose | | Species | Source | Method | |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Study report (1982) | OECD Guideline 401 | |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | Study report (1982) | OECD Guideline 402 | |
| | inhalation (4 h) dust/mist | LC50 | 5,53 mg/l | Rat | | OECD Guideline 403 | |
| 36878-20-3 | Bls(nonylphenyl)amine | | | | | | |
| | oral | LD50 mg/kg | > 5000 | Rat | Study report (1981) | OECD Guideline 401 | |

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

See section: 12.6

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 9 of 11

| CAS No | Chemical name | | | | | | |
|------------|---|---------------|---------|-----------|------------------------------------|---|---|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 64742-54-7 | Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified | | | | | | |
| | Acute fish toxicity | LL50 mg/l | > 100 | 96 h | Pimephales promelas | Study report (1995) | OECD Guideline 203 |
| | Fish toxicity | NOEC mg/l | >= 1000 | 14 d | Oncorhynchus mykiss | CONCAWE, Brussels, Belgium (2010) | The aquatic toxicity was estimated by a |
| 36878-20-3 | Bls(nonylphenyl)amine | | | | | | |
| | Acute fish toxicity | LC50 mg/l | >100 | 96 h | Danio rerio (zebrafish) | ECHA Dossier | |
| | Acute algae toxicity | ErC50 mg/l | > 100 | l | Pseudokirchneriella subcapitata | Study report (2019) | OECD Guideline 201 |
| | Acute crustacea toxicity | EC50 mg/l | > 100 | 48 h | Daphnia magna | Study report (2004) | OECD Guideline 202 |

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|-----------------------|---------|
| 36878-20-3 | Bls(nonylphenyl)amine | 7,6 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|-----------------------|---------|-----------------|---------------------|
| 36878-20-3 | Bls(nonylphenyl)amine | 1584,89 | Cyprinus carpio | Study report (2000) |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

 Revision No: 1,00
 GB - EN
 Print date: 27.01.2023





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 10 of 11

Land transport (ADR/RID)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

Revision No: 1,00 GB - EN Print date: 27.01.2023





ALPINE Longlife III 0W-30

Revision date: 25.01.2023 Page 11 of 11

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.
H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)