



Print date: 31.03.2021

MITAN Mineralöl GmbH

Telefax: +49 (0)5462/7470-33

Safety Data Sheet

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alpine ATF MVS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricating agent

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name: MITAN Mineralöl GmbH Street: Industriestraße 8 Place: D-49577 Ankum

Telephone: +49 (0)5462/7470-50

e-mail: info@mitan-oil.de

e-mail (Contact person): sicherheitsdatenblatt@mitan-oil.de

Internet: www.mitan-oil.de

1.4. Emergency telephone Giftinformationszentrum Nord (Göttingen)

<u>number:</u> +49 (0)551/19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Reaction product of alkylthioalcohol and substituted phosphorus compound

Hazard statements

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 2 of 13

Hazardous components

CAS No	Chemical name			
	EC No	Index No	REACH No	
	GHS Classification			
36878-20-3	Bls(nonylphenyl)amine			0 - < 1,2 %
	253-249-4		01-2119488911-28	
	Aquatic Chronic 4; H413			
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate			
	406-040-9	607-530-00-7	01-0000015551-76	
	Aquatic Chronic 4; H413			
	Reaction product of alkylthioalcoho	l and substituted phosphorus compo	und	0 - < 0,24 %
	424-820-7		01-0000017126-75	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, Aquatic Chronic 1; H312 H314 H400 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	Limits, M-factors and ATE	
36878-20-3	253-249-4	Bls(nonylphenyl)amine	0 - < 1,2 %
	oral: LD50 = >	5000 mg/kg	
125643-61-0	406-040-9	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propionate	0 - < 1,2 %
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 2000 mg/kg		
	424-820-7	Reaction product of alkylthioalcohol and substituted phosphorus compound	0 - < 0,24 %
	dermal: LD50 = > 500 mg/kg; oral: LD50 = > 2000 mg/kg M akut; H400: M=10 M chron.; H410: M=10		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water.

Let water be drunken in little sips (dilution effect).

Do NOT induce vomiting.





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 3 of 13

In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- alcohol resistant foam.
- Carbon dioxide (CO2).
- Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Nitrogen oxides (NOx)
- Carbon monoxide (CO)
- Carbon dioxide (CO2).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing.

In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Remove from the water surface (e.g. skimming, sucking).





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 4 of 13

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust.

Use personal protection equipment.

Do not put any product-impregnated cleaning rags into your trouser pockets.

Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Take precautionary measures against static discharges.

Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed.

Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Note Regulation on facilities for the storage, filling and handling water-polluting substances...

7.3. Specific end use(s)

Lubricating agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 5 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
36878-20-3	Bls(nonylphenyl)amine			
Worker DNEL,	long-term	dermal	systemic	5 mg/kg bw/day
Consumer DN	EL, long-term	dermal	systemic	2,5 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,25 mg/kg bw/day
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-	4-hydroxyphenyl)propio	nate	
Worker DNEL,	long-term	dermal	systemic	1,67 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	1,62 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,83 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,93 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	6,6 mg/m³
	Reaction product of alkylthioalcohol and substituted phospl	norus compound		
Worker DNEL,	long-term	inhalation	systemic	1,76 mg/m³
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	0,43 mg/m³
Consumer DNEL, long-term		dermal	systemic	0,25 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	0,25 mg/kg bw/day





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 6 of 13

PNEC values

CAS No	Substance	
Environmental	compartment	Value
36878-20-3	Bls(nonylphenyl)amine	
Freshwater		0,412 mg/l
Freshwater (int	termittent releases)	1 mg/l
Marine water		0,041 mg/l
Freshwater sec	diment	1 mg/kg
Marine sedime	nt	0,1 mg/kg
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propiona	nte
Freshwater		0,018 mg/l
Freshwater (int	termittent releases)	0,018 mg/l
Marine water		0,002 mg/l
Freshwater sec	diment	2 mg/kg
Marine sedime	nt	0,2 mg/kg
Secondary pois	soning	41,33 mg/kg
Micro-organism	ns in sewage treatment plants (STP)	100 mg/l
Soil		10 mg/kg
	Reaction product of alkylthioalcohol and substituted phosphorus compound	•
Freshwater		0,0009 mg/l
Freshwater (int	termittent releases)	0,0009 mg/l
Marine water		0,00009 mg/l
Freshwater sediment		0,73 mg/kg
Marine sediment		0,073 mg/kg
Secondary poisoning 10		10 mg/kg
Micro-organism	ns in sewage treatment plants (STP)	5 mg/l
Soil		0,086 mg/kg

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls





Protective and hygiene measures

Take off contaminated clothing and wash it before reuse.

Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used:

Wear eye/face protection. DIN EN 166





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 7 of 13

Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Tested protective gloves must be worn. EN ISO 374

Skin protection

Wear suitable protective clothing.

Respiratory protection

Usually no personal respirative protection necessary.

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: yellow

Odour: Mineral-oil-like
Odour threshold: not determined

pH-Value: not determined

Changes in the physical state

Melting point:

Boiling point or initial boiling point and

not determined

not determined

boiling range:

Pour point: -45 °C Flash point: 238 °C

Flammability

Solid/liquid: not applicable
Gas: not applicable

Explosive properties

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

Lower explosion limits:

not determined

Upper explosion limits:

not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined

Oxidizing properties

The product is not: oxidising.

Vapour pressure: not determined

Density (at 15 °C): 0,85 g/cm³

Solubility in other solvents

not determined





MITAN Mineralöl GmbH

Print date: 31.03.2021

Page 8 of 13

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082

not determined

Viscosity / kinematic: 39 mm²/s

(at 40 °C)

Relative vapour density: not determined Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

Partition coefficient n-octanol/water:

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Reaction with: Oxidizing agent

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Acids
- Reducing agent
- Oxidising agent

10.6. Hazardous decomposition products

Hazardous combustion products:

- Carbon monoxide (CO)
- Carbon dioxide (CO2)
- Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 9 of 13

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
36878-20-3	Bls(nonylphenyl)amine					
	oral	LD50 mg/kg	> 5000	Rat	Study report (1981)	OECD Guideline 401
125643-61-0	reaction mass of isomers	reaction mass of isomers of: C7-9-alkyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate				
	oral	LD50 mg/kg	> 2000	Rat	Study report (2005)	OECD Guideline 423
	dermal	LD50 mg/kg	> 2000	Rat	Study report (2000)	OECD Guideline 402
	Reaction product of alkylt	Reaction product of alkylthioalcohol and substituted phosphorus compound				
	oral	LD50 mg/kg	> 2000	Rat	Study report (1996)	OECD Guideline 401
	dermal	LD50 mg/kg	> 500	Rabbit	Study report (1996)	OECD Guideline 402

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 10 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
36878-20-3	Bls(nonylphenyl)amine						
	Acute fish toxicity	LC50 mg/l	>100	96 h	Danio rerio (zebrafish)	ECHA Dossier	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Pseudokirchneriella subcapitata	Study report (2019)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna	Study report (2004)	OECD Guideline 202
125643-61-0	reaction mass of isomers	of: C7-9-alk	xyl 3-(3,5-di-to	ert-butyl-	4-hydroxyphenyl)propion	ate	
	Acute fish toxicity	LC50 mg/l	> 0,001	96 h	Oncorhynchus mykiss	Study report (2009)	OECD Guideline 203
	Acute algae toxicity	ErC50	> 0 mg/l	72 h	Desmodesmus subspicatus	Study report (2009)	OECD Guideline 201
	Acute crustacea toxicity	EL50	110 mg/l	48 h	Daphnia magna	Study report (2000)	OECD Guideline 202
	Fish toxicity	NOEC mg/l	0,36	33 d	Pimephales promelas	Study report (2009)	OECD Guideline 210
	Crustacea toxicity	NOEC	3,2 mg/l	21 d	Daphnia magna	Study report (2010)	OECD Guideline 211
	Acute bacteria toxicity	(> 1000	mg/l)	3 h	activated sludge of a predominantly domestic sewag	Study report (2000)	OECD Guideline 209
	Reaction product of alkylt	hioalcohol a	and substitute	ed phospl	norus compound		
	Acute fish toxicity	LC50	1,5 mg/l	96 h			
	Acute algae toxicity	ErC50 mg/l	0,31	72 h	Pseudokirchneriella subcapitata	Study report (1996)	EU Method C.3
	Acute crustacea toxicity	EL50 mg/l	0,09	48 h	Daphnia magna	Study report (1996)	EU Method C.2
	Crustacea toxicity	NOEC mg/l	0,14	21 d	Daphnia magna	Study report (2001)	OECD Guideline 211
	Acute bacteria toxicity	(> 50 mg	J/I)	3 h	Activated sludge	Study report (1996)	OECD Guideline 209

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
36878-20-3	Bls(nonylphenyl)amine	7,6

BCF

CAS No	Chemical name	BCF	Species	Source
36878-20-3	Bls(nonylphenyl)amine	1584,89	Cyprinus carpio	Study report (2000)
125643-61-0	reaction mass of isomers of: C7-9-alkyl 3- (3,5-di-tert-butyl-4-hydroxyphenyl)propi onate	38	Cyprinus carpio	Study report (2002)





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 11 of 13

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No





Print date: 31.03.2021

Safety Data Sheet MITAN Mineralöl GmbH

Salety Data Siles

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 12 of 13

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

Information according to 2012/18/EU

Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor





MITAN Mineralöl GmbH

Print date: 31.03.2021

Alpine ATF MVS

Revision date: 26.03.2021 Product code: MIT0082 Page 13 of 13

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intériourse)

intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H312	Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.
 H413 May cause long lasting harmful effects to aquatic life.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)