



		Page 1 of 10
substance/mixture and of the company/u	Indertaking	
)		
substance or mixture and uses advised again	<u>ist</u>	
<u>fety data sheet</u>		
Mitan Mineralöl GmbH		
Industriestraße 8		
	Telefax:+49 (0)5462/7470-33	
•		
sicherheitsdatenblatt@mitan-oil.de		
Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240		
	fety data sheet Mitan Mineralöl GmbH Industriestraße 8 D-49577 Ankum +49 (0)5462/7470-50 info@mitan-oil.de www.mitan-oil.de Produktsicherheit / Product Safety sicherheitsdatenblatt@mitan-oil.de Giftinformationszentrum Nord (Göttingen)	substance or mixture and uses advised against fety data sheet Mitan Mineralöl GmbH Industriestraße 8 D-49577 Ankum +49 (0)5462/7470-50 Telefax: +49 (0)5462/7470-33 info@mitan-oil.de www.mitan-oil.de Produktsicherheit / Product Safety sicherheitsdatenblatt@mitan-oil.de Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures





Alpine Super Combi 5W-30

Revision date: 18.10.2021

Page 2 of 10

Hazardous components

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	GHS Classification			
68784-26-9	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased		0 - < 0,23 %	
	272-234-3		01-2119524004-56	
	Aquatic Chronic 4; H413			
148520-84-7	Benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends, sulfonated, calcium salts		0 - < 0,23 %	
	800-941-4			
	Skin Sens. 1B; H317			
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts		0 - < 0,23 %	
	274-263-7		01-2119492616-28	
	Skin Sens. 1B; H317	•	•	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
148520-84-7		Benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends, sulfonated, calcium salts	0 - < 0,23 %
	Skin Sens. 1B; I	H317: >= 10 - 100	

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.





Alpine Super Combi 5W-30

Revision date: 18.10.2021

Page 3 of 10

4.2. Most important symptoms and effects, both acute and delayed

No information available.

<u>4.3. Indication of any immediate medical attention and special treatment needed</u> Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. Formation of toxic gases is possible during heating or in case of fire.

In case of fire may be liberated:

- Carbon monoxide (CO)
- Carbon dioxide (CO2).
- Nitrogen oxides (NOx)
- Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side.

Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8





Page 4 of 10

Safety Data Sheet

Alpine Super Combi 5W-30

Revision date: 18.10.2021

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container. Store in a cool dry place. Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

7.3. Specific end use(s)

Motor oil multigrade

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
70024-69-0	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium s	alts		
Consumer , long-term inha		inhalation	systemic	11,75 mg/m³
Worker , long-term		dermal	systemic	3,33 mg/kg bw/day
,				





Alpine Super Combi 5W-30

Revision date: 18.10.2021

Page 5 of 10

PNEC values

CAS No	Substance	
Environmental compartment Value		Value
70024-69-0 Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts		
Freshwater 1 mg/l		1 mg/l
Freshwater (intermittent releases) 10		10 mg/l
Marine water		1 mg/kg
Secondary poisoning		16,667 mg/kg
Micro-organisms in sewage treatment plants (STP) 1000 mg/l		1000 mg/l

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:

Liquid





Alpine Super Combi 5W-30			
Revision date: 18.10.2021		Page 6 of 10	
Colour:	yellow-brown		
Odour:	characteristic		
Odour threshold:	not determined		
pH-Value:	not determined		
Changes in the physical state			
Melting point:	not determined		
Boiling point or initial boiling point and	not determined		
boiling range: Pour point:	-36 °C		
Flash point:	242 °C		
Flammability Solid/liquid:	not applicable		
Gas:	not applicable		
Explosive properties			
	rmation of explosive air/vapour mixtures are possible.		
Lower explosion limits:	not determined		
Upper explosion limits:	not determined		
Self-ignition temperature			
Solid:	not applicable		
Gas:	not applicable		
Decomposition temperature:	not determined		
Oxidizing properties The product is not: oxidising.			
Vapour pressure:	not determined		
Vapour pressure:	not determined		
Density (at 15 °C):	0,847 g/cm³		
Water solubility:	practically insoluble		
Solubility in other solvents not determined			
Partition coefficient n-octanol/water:	not determined		
Viscosity / dynamic:	not determined		
Viscosity / kinematic: (at 40 °C)	72 mm²/s		
Relative vapour density:	not determined		
Evaporation rate:	not determined		
9.2. Other information			
Solid content:	not determined		
SECTION 10: Stability and reactivity			

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability





Alpine Super Combi 5W-30

Revision date: 18.10.2021

Page 7 of 10

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

- Materials to avoid:
 - Oxidising agent
 - Reducing agent
 - Acids

10.6. Hazardous decomposition products

- Hazardous combustion products:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2)
 - Nitrogen oxides (NOx)
 - Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Frequently or prolonged contact with skin may cause dermal irritation.

Sensitising effects

Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.





Alpine Super Combi 5W-30

Revision date: 18.10.2021

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

14.2. UN proper shipping name: 14.3. Transport hazard class(es):

14.4. Packing group:

Inland waterways transport (ADN)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Marine transport (IMDG)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.

No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. Page 8 of 10





Devision data: 40.40.2024	Alpine Super Combi 5W-30	Darra 0 of 10
Revision date: 18.10.2021		Page 9 of 10
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tra		
14.7. Maritime transport in bulk according to		
No dangerous good in sense of this tra	insport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ations/legislation specific for the substance or mixture	
EU regulatory information		
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Water hazard class (D):	1 - slightly hazardous to water	
Skin resorption/Sensitization:	Causes allergic hypersensitivity reactions.	
15.2. Chemical safety assessment		
Chemical safety assessments for subs	tances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
-	the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.	
Abbreviations and acronyms	(), , , , , , , , , , , , , , , , , , ,	
-	t des marchandises dangereuses par Route	
(European Agreement concerning the	nternational Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for		
IATA: International Air Transport Assoc		
EINECS: European Inventory of Existin	Classification and Labelling of Chemicals	
ELINCS: European List of Notified Che	-	
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
CLP: Classification, labelling and Pack		
REACH: Registration, Evaluation and A	Authorization of Chemicals Classification, Labelling and Packaging of Chemicals	
UN: United Nations	Classification, Labelling and Fackaging of Chemicals	
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		
PNEC: Predicted No Effect Concentrat	ion	
ATE: Acute toxicity estimate		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50% EC50: Effective Concentration 50%		
LOJU. LIEUWE CONCENTIATION 30%		

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration



Rev



Safety Data Sheet

Alpine Super Combi 5W-30		
evision date: 18.10.2021	Page 10 of 10	
BCF: Bio-concentration factor		
PBT: persistent, bioaccumulative, toxic		
vPvB: very persistent, very bioaccumulative		
RID: Regulations concerning the international carriage of dangerous goods by rail		
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation		
intérieures)		
EmS: Emergency Schedules		
MFAG: Medical First Aid Guide		
ICAO: International Civil Aviation Organization		
MARPOL: International Convention for the Prevention of Marine Pollution from Ships		
IBC: Intermediate Bulk Container		
SVHC: Substance of Very High Concern		
For abbreviations and acronyms, see table at http://abbrev.esdscom.eu		
Relevant H and EUH statements (number and full text)		
H317 May cause an allergic skin reaction		

H317	May cause an allergic skin reaction.
H413	May cause long lasting harmful effects to aquatic life.
EUH208	Contains Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an
	allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)