



	Alpine Turbo Super 10W-4	0	
Revision date: 10.11.2021		Pag	e 1 of 10
SECTION 1: Identification of the	e substance/mixture and of the company	/undertaking	
<u>1.1. Product identifier</u> Alpine Turbo Super 10W-4	0		
1.2. Relevant identified uses of the	substance or mixture and uses advised aga	<u>inst</u>	
Use of the substance/mixture Motor oil multigrade			
Uses advised against No information available.			
<u>1.3. Details of the supplier of the s</u> Company name: Street: Place:	<u>afety data sheet</u> Mitan Mineralöl GmbH Industriestraße 8 D-49577 Ankum		
Telephone: e-mail: Internet: Responsible Department:	+49 (0)5462/7470-50 info@mitan-oil.de www.mitan-oil.de Produktsicherheit / Product Safety sicherheitsdatenblatt@mitan-oil.de	Telefax:+49 (0)5462/7470-33	
<u>1.4. Emergency telephone</u> number:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Preparation of base oils and additives.





Alpine Turbo Super 10W-40

Revision date: 10.11.2021

Page 2 of 10

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64742-54-7	Distillates (petroleum), hydrotreate	d heavy paraffinic; Baseoil - unspecif	ied	10 - 25 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			
	Langkettiges Alkyl-calcium-phenat-	sulfid		0 - < = 2,5 %
	Aquatic Chronic 4; H413			

Full text of H and EUH statements: see section 16.

Specific Conc. Limite M feature and ATE

Specific Conc	specific conc. Limits, M-lactors and ATE					
CAS No	EC No	Chemical name	Quantity			
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE				
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	10 - 25 %			
	dermal: LD50 =	lermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg				

Further Information

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed





Alpine Turbo Super 10W-40

Revision date: 10.11.2021

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Carbon dioxide (CO2).
- Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- In case of fire may be liberated:
 - Carbon monoxide (CO)
 - Sulphur dioxide (SO2)
 - Carbon dioxide (CO2)
 - Pyrolysis products, toxic

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Keep people at a distance and stay on the windward side. Special danger of slipping by leaking/spilling product.

For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Remove from the water surface (e.g. skimming, sucking).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13 Page 3 of 10





Alpine Turbo Super 10W-40

Revision date: 10.11.2021

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container. Store in a cool dry place. (Protect from moisture.) Floors should be impervious, resistant to liquids and easy to clean.

Hints on joint storage

- Do not store together with:
 - Materials capable of ignition under almost all normal temperature conditions
 - Explosives

7.3. Specific end use(s)

Motor oil multigrade

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
Worker DNEL,	Worker DNEL, long-term inhalation systemic 2,73 mg/m³				
Worker DNEL, long-term		inhalation	local	5,58 mg/m³	
Worker DNEL, long-term		dermal	systemic	0,97 mg/kg bw/day	
Consumer DN	EL, long-term	inhalation	local	1,19 mg/m³	
Consumer DN	EL, long-term	oral	systemic	0,74 mg/kg bw/day	

PNEC values

CAS No	Substance		
Environmental	compartment	Value	
64742-54-7	64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified		
Secondary poisoning		9,33 mg/kg	

Page 4 of 10





Alpine Turbo Super 10W-40

Revision date: 10.11.2021

Page 5 of 10

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work.

When using do not eat, drink, smoke, sniff.

Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

1 4			
Physical state:	Liquid		
Colour:	brown		
Odour:	characteristic		
Odour threshold:	not determined		
			Test metho
pH-Value:		not determined	
Changes in the physical state			
Melting point:		not determined	
Boiling point or initial boiling point	nt and	not determined	
boiling range:			
Pour point:		-42 °C	ISO 3016





	Alpine Turbo Super 10W-40	
evision date: 10.11.2021		Page 6 of 10
Flash point:	228 °C	DIN ISO 2592
Flammability Solid/liquid:	not applicable	
Gas:	not applicable	
Explosive properties Product is not explosive. However, fo	rmation of explosive air/vapour mixtures are possible.	
Lower explosion limits:	0,6 vol. %	
Upper explosion limits:	6,5 vol. %	
Self-ignition temperature Solid: Gas:	not applicable not applicable	
Decomposition temperature:	not determined	
Oxidizing properties The product is not: oxidising.		
Vapour pressure:	not determined	
Density (at 20 °C):	0,857 g/cm³	DIN 51757
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Viscosity / kinematic: (at 40 °C)	92,6 mm²/s	DIN 51562
Relative vapour density:	not determined	
Evaporation rate:	not determined	
2. Other information		
Solid content:	not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point

10.4. Conditions to avoid

Avoid: Thermal decomposition

10.5. Incompatible materials

Materials to avoid:

- Oxidising agent





Alpine Turbo Super 10W-40

Revision date: 10.11.2021

Page 7 of 10

10.6. Hazardous decomposition products

- Hazardous combustion products:
 - Carbon monoxide (CO)
 - Carbon dioxide (CO2)
 - Sulphur dioxide (SO2)
 - Pyrolysis products, toxic

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401	
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402	

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

12.1. Toxicity





Alpine Turbo Super 10W-40

Revision date: 10.11.2021

Page 8 of 10

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hyd	rotreated heavy paraffir	nic; Base	oil - unspecified		
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas	, ,	OECD Guideline 203

12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

No dangerous good in sense of this transport regulation. 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. 14.4. Packing group: No dangerous good in sense of this transport regulation. Inland waterways transport (ADN) No dangerous good in sense of this transport regulation. 14.1. UN number: 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. 14.4. Packing group: Marine transport (IMDG) 14.1. UN number: No dangerous good in sense of this transport regulation. 14.2. UN proper shipping name: No dangerous good in sense of this transport regulation. 14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.





	Alpine Turbo Super 10W-40	
Revision date: 10.11.2021		Page 9 of 10
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number:	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this t	ransport regulation.	
14.7. Maritime transport in bulk according	to IMO instruments	
No dangerous good in sense of this t	ransport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for sul	ostances in this mixture were not carried out.	
SECTION 16: Other information		
-	m the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.	
Abbreviations and acronyms	ant dae waard an dia aa dan marka nan Dauta	
	ort des marchandises dangereuses par Route e International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for	,	
IATA: International Air Transport Asso	ociation	
	f Classification and Labelling of Chemicals	
EINECS: European Inventory of EXIS ELINCS: European List of Notified C	ting Commercial Chemical Substances	
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		
CLP: Classification, labelling and Pac		
REACH: Registration, Evaluation and GHS: Globally Harmonised System of	f Classification, Labelling and Packaging of Chemicals	
UN: United Nations		
DNEL: Derived No Effect Level		
DMEL: Derived Minimal Effect Level		

ATE: Acute toxicity estimate

PNEC: Predicted No Effect Concentration





Alpine Turbo Super 10W-40	
Revision date: 10.11.2021	Page 10 of 10
LL50: Lethal loading, 50%	
EL50: Effect loading, 50%	
EC50: Effective Concentration 50%	
ErC50: Effective Concentration 50%, growth rate	
NOEC: No Observed Effect Concentration	
BCF: Bio-concentration factor	
PBT: persistent, bioaccumulative, toxic	
vPvB: very persistent, very bioaccumulative	
RID: Regulations concerning the international carriage of dangerous goods by rail	
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation	
intérieures)	
EmS: Emergency Schedules	
MFAG: Medical First Aid Guide	
ICAO: International Civil Aviation Organization	
MARPOL: International Convention for the Prevention of Marine Pollution from Ships	
IBC: Intermediate Bulk Container	
SVHC: Substance of Very High Concern	
For abbreviations and acronyms, see table at http://abbrev.esdscom.eu	

H304 May be fatal if swallowed and enters airways.

May cause long lasting harmful effects to aquatic life. H413

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)